

Typical Physical Analysis

Sieve Size (mm)	Typical Gradation % Retained	Description
2 to 3.4	0	Fine Gravel
1 to 2	8.5	Very course sand
0.5 to 1	43	Course sand
0.25 to 0.5	30.5	Medium sand
0.15 to 0.25	13	Fine sand
0.05 to 0.15	2.8	Very fine sand
<0.05	0.9	Silt plus clay

This top dressing meets USGA specifications tested by Tifton Physical Soil Testing Laboratory, Inc.

Other Analysis

Saturated hydraulic conductivity	911.86 mm/hr
Grain shape	Angular to sub-angular
Calcium carbonate (calcarius)	None
Uniformity coefficient	3.1
Bulk density	1.47 g/cm ³

For more info: Jamie Wold | jwold@imineralsinc.com | 208-598-8629

1.18.21



imineralsinc.com

The information and data contained herein are believed to be accurate, but the manufacturer makes no warranty with respect thereto and disclaims responsibility for reliance thereon. These data relate only to the specific material described herein, and does not relate to use in connection with any other materials or in any process.

I-Minerals Inc. makes no warranties, express or implied, concerning this product. No warranty of fitness for any particular purpose is made and we assume no responsibility whatever for any use of this product. This product should be used by properly trained personnel, and in compliance with applicable health and safety laws and regulations.

Suite 880, 580 Hornby Street • Vancouver, BC Canada V6C 3B6